

How to view and download meter readings



Navigate to Meter Readings

Select Outlet if required. The outlet selected will determine which meter readings are shown.

Outlet	Property	Date Effective	Meter Reading	Usage (ML)
All	All	25/05/2023 - 01/02/2024		
M1628G/1	1000101	25/05/2023, 00:00	218.3	0.0
Y1A/1	2162807	30/06/2023, 10:01	0.0	0.0
M1628G/1 SlipGate M	2162807	30/08/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	29/09/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	30/09/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	01/10/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	01/11/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	01/12/2023, 06:00	0.0	0.0

Select Property if required. The property selected will determine which meter readings are shown.

Outlet	Property	Date Effective	Meter Reading	Usage (ML)
M1628G/1	All	25/05/2023 - 01/02/2024		
M1628G/1 SlipGate M	2162807	30/08/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	1000101	29/09/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162800	30/09/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	30/09/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	4001100	01/10/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	4001101	01/10/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	01/10/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	01/11/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	01/12/2023, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	01/01/2024, 06:00	0.0	0.0



Select Date Range if required. The date selected will determine which meter readings are shown.

- Home
- Orders
- Outlet
- Property
- Meter Readings
- Messages
- MURRUMBIDGEE IRRIG...
- My Account
- Change Passw...

Meter Readings

Outlet: M1628G/1 | Property: 2162807 | Date Effective: 25/05/2023 - 01/02/2024

Outlet	Property	Date Effective	Usage (ML)
M1628G/1 SlipGate M	2162807	30/06/2023	0.0
M1628G/1 SlipGate M	2162807	30/08/2023	0.0
M1628G/1 SlipGate M	2162807	29/09/2023	0.0
M1628G/1 SlipGate M	2162807	30/09/2023	0.0
M1628G/1 SlipGate M	2162807	01/10/2023	0.0
M1628G/1 SlipGate M	2162807	01/11/2023, 06:00	0.0
M1628G/1 SlipGate M	2162807	01/12/2023, 06:00	0.0
M1628G/1 SlipGate M	2162807	01/01/2024, 06:00	0.0

View details

- Home
- Orders
- Outlet
- Property
- Meter Readings
- Messages
- MURRUMBIDGEE IRRIG...
- My Account
- Change Passw...

Meter Readings

Outlet: M1628G/1 | Property: All | Date Effective: 01/01/2024 - 15/04/2024

Outlet	Property	Date Effective ↑	Meter Reading	Usage (ML)
M1628G/1 SlipGate M	2162807	01/01/2024, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	17/01/2024, 08:00	0.0	0.0
M1628G/1 SlipGate M	2162807	26/01/2024, 08:00	0.0	0.0
M1628G/1 SlipGate M	2162807	01/02/2024, 06:00	0.0	0.0

Click Download

- Home
- Orders
- Outlet
- Property
- Meter Readings
- Messages
- MURRUMBIDGEE IRRIG...
- My Account
- Change Passw...

Meter Readings

Outlet: M1628G/1 | Property: All | Date Effective: 01/01/2024 - 15/04/2024

Outlet	Property	Date Effective ↑	Meter Reading	Usage (ML)
M1628G/1 SlipGate M	2162807	01/01/2024, 06:00	0.0	0.0
M1628G/1 SlipGate M	2162807	17/01/2024, 08:00	0.0	0.0
M1628G/1 SlipGate M	2162807	26/01/2024, 08:00	0.0	0.0
M1628G/1 SlipGate M	2162807	01/02/2024, 06:00	0.0	0.0

download



View and save download as normal for your computer

The screenshot shows a Microsoft Excel spreadsheet with the following data:

Outlet	Property	Date Effective	Meter Rea Usage (ML)
M1628G/1	2162807	1/01/2024 6:00	0 0
M1628G/1	2162807	17/01/2024 8:00	0 0
M1628G/1	2162807	26/01/2024 8:00	0 0
M1628G/1	2162807	1/02/2024 6:00	0 0